

## DESCRIPTION

### Compo 450 Wire Suspension

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



## QUICKINFO

### GENERAL


Material	Aluminium, Opal cover
Finish	Black
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

### LED

LED Chip	Seoul
Lumen	3100lm/2300lm
Efficacy	Up tp 100lm/W
CRI	>90
CCT	3000K/4000K Switch
SDCM	>3
UGR	<23 (X=4H, Y=8H)

### ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Dimming Direct only



Power Switch	Color Switch	CRI>80 CRI>90	SDCM<3	IP20	UGR >16	5 YEARS		
--------------	--------------	------------------	--------	------	------------	------------	--	--

### PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015  
Tel: +61 2 8065 8181  
sales@purati.com

## DESCRIPTION

## Compo 450 Wire Suspension

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



## QUICKINFO

## GENERAL


Material	Aluminium, Opal cover
Finish	White
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

## LED

LED Chip	Seoul
Lumen	3100lm/2300lm
Efficacy	Up tp 100lm/W
CRI	>90
CCT	3000K/4000K Switch
SDCM	>3
UGR	<23 (X=4H, Y=8H)

## ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Dimming Direct only



Power Switch	Color Switch	CRI>80 CRI>90	SDCM<3	IP20	UGR >16	5 YEARS	△	⊕
--------------	--------------	------------------	--------	------	------------	---------	---	---

## PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015  
Tel: +61 2 8065 8181  
sales@purati.com

## DESCRIPTION

### Compo 450 DALI

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



## QUICKINFO

### GENERAL


Material	Aluminium, Opal cover
Finish	Black
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

### LED

LED Chip	Seoul
Lumen	3100lm/2300lm
Efficacy	Up tp 100lm/W
CRI	>90
CCT	3000K/4000K Switch
SDCM	>3
UGR	<23 (X=4H, Y=8H)

### ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Dimming Direct only



Power Switch	Color Switch	CRI>80 CRI>90	SDCM<3	IP20	UGR >16	5 YEARS		
--------------	--------------	------------------	--------	------	------------	------------	--	--

### PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015  
Tel: +61 2 8065 8181  
sales@purati.com

## DESCRIPTION

## Compo 450 DALI

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



## QUICKINFO

## GENERAL


Material	Aluminium, Opal cover
Finish	White
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

## LED

LED Chip	Seoul
Lumen	3100lm/2300lm
Efficacy	Up tp 100lm/W
CRI	>90
CCT	3000K/4000K Switch
SDCM	>3
UGR	<23 (X=4H, Y=8H)

## ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Dimming Direct only



Power Switch	Color Switch	CRI>80 CRI>90	SDCM<3	IP20	UGR >16	5 YEARS	△	⊕
--------------	--------------	------------------	--------	------	------------	------------	---	---

## PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015  
Tel: +61 2 8065 8181  
sales@purati.com

## DESCRIPTION

### Compo 450 Indirect

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



## QUICKINFO

### GENERAL


Material	Aluminium, Opal cover
Finish	Black
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

### LED

LED Chip	Seoul
Lumen	3100lm/2300lm
Efficacy	Up tp 100lm/W
CRI	>90
CCT	3000K/4000K Switch
SDCM	>3
UGR	<23 (X=4H, Y=8H)

### ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Dimming Direct - Indirect



Power Switch	Color Switch	CRI>80 CRI>90	SDCM<3	IP20	UGR >16	5 YEARS		
--------------	--------------	------------------	--------	------	------------	------------	--	--

### PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015  
Tel: +61 2 8065 8181  
sales@purati.com

## DESCRIPTION

### Compo 450 Indirect

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



## QUICKINFO

### GENERAL


Material	Aluminium, Opal cover
Finish	White
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

### LED

LED Chip	Seoul
Lumen	3100lm/2300lm
Efficacy	Up tp 100lm/W
CRI	>90
CCT	3000K/4000K Switch
SDCM	>3
UGR	<23 (X=4H, Y=8H)

### ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Dimming Direct - Indirect



Power Switch	Color Switch	CRI>80 CRI>90	SDCM<3	IP20	UGR >16	5 YEARS	△	⊕
--------------	--------------	------------------	--------	------	------------	------------	---	---

### PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015  
Tel: +61 2 8065 8181  
sales@purati.com

## DESCRIPTION

### Compo 450 Indirect DALI

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



## QUICKINFO

### GENERAL


Material	Aluminium, Opal cover
Finish	Black
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

### LED

LED Chip	Seoul
Lumen	3100lm/2300lm
Efficacy	Up tp 100lm/W
CRI	>90
CCT	3000K/4000K Switch
SDCM	>3
UGR	<23 (X=4H, Y=8H)

### ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Dimming Direct - Indirect



Power Switch	Color Switch	CRI>80 CRI>90	SDCM<3	IP20	UGR >16	5 YEARS		
--------------	--------------	------------------	--------	------	------------	------------	--	--

### PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015  
Tel: +61 2 8065 8181  
sales@purati.com

## DESCRIPTION

### Compo 450 Indirect DALI

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



## QUICKINFO

### GENERAL


Material	Aluminium, Opal cover
Finish	White
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

### LED

LED Chip	Seoul
Lumen	3100lm/2300lm
Efficacy	Up tp 100lm/W
CRI	>90
CCT	3000K/4000K Switch
SDCM	>3
UGR	<23 (X=4H, Y=8H)

### ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Dimming Direct - Indirect



Power Switch	Color Switch	CRI>80 CRI>90	SDCM<3	IP20	UGR >16	5 YEARS	△	⊕
--------------	--------------	------------------	--------	------	------------	------------	---	---

### PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015  
Tel: +61 2 8065 8181  
sales@purati.com