

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Opal cover
Finish	Black
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Opal cover
Finish	White
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Opal cover
Finish	Brushed Silver
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS		
--------------	--------------	--------	--------	------	----------	---------	--	--

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Opal cover
Finish	Brushed Gold
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Microprism cover
Finish	Black
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Microprism cover
Finish	White
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Microprism cover
Finish	Brushed Silver
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Microprism cover
Finish	Brushed Gold
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Microprism cover
Finish	Black
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct - Indirect



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Microprism cover
Finish	White
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct - Indirect



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Microprism cover
Finish	Brushed Silver
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Built-in)	Phase Cut / DALI
Light distribution	Direct - Indirect



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Microprism cover
Finish	Brushed Gold
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct only



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS		
--------------	--------------	--------	--------	------	----------	---------	--	--

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Opal cover
Finish	Black
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct - Indirect



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications
Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.
npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Opal cover
Finish	White
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct - Indirect



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS	△	⊕
--------------	--------------	--------	--------	------	----------	---------	---	---

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Opal cover
Finish	Brushed Silver
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Build-in)	Phase Cut / DALI
Light distribution	Direct - Indirect



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS		
--------------	--------------	--------	--------	------	----------	---------	--	--

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Compo 450

Pure architectural light fittings for all applications

Compo series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.

Uniformly illuminated product thanks to its 2 diffusers design. Opal diffuser provides homogeneous general lighting and Micro-prismatic diffuser is ideal for office lighting.

Available in direct only or direct – indirect light distribution options which perfect for office use, education, healthcare, retail, hospitality, and hotel.

npk design, the Netherlands



QUICKINFO

GENERAL


Material	Aluminium, Opal cover
Finish	Brushed Gold
IP	IP20
Lifetime	L80/50,000h
Warranty	5 years

LED

LED Chip	Seoul
Lumen	3100lm/ 2300lm
Efficacy	100lm/W
CRI	>90
CCT	3000K/4000K Switch as standard, 6500K on request
SDCM	>3
UGR	<19 (X=4H, Y=8H)

ELECTRICAL

Voltage	220-240V
Power	30/22W Switch
Driver(Built-in)	Phase Cut / DALI
Light distribution	Direct - Indirect



Power Switch	Color Switch	CRI>90	SDCM<3	IP20	UGR < 19	5 YEARS		
--------------	--------------	--------	--------	------	----------	---------	--	--

PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com