

PURATI®

BEAM

Simple. Versatile. Efficient



The Beam Collection's classic tubular structure and contemporary design make it a versatile lighting fixture that can seamlessly integrate into any interior space.



Beam Surface Mounted

Product Coded

B450S-13D
B600S-13D
B800S-13D

DESCRIPTION

Beam 450 / 600 / 800

Simple. Versatile. Efficient

The Beam Collection's classic tubular structure and contemporary design make it a versatile lighting fixture that can seamlessly integrate into any interior space.

Beam 450

Beam 600

Beam 800



QUICKINFO



GENERAL


Finish	White/Black, Gold/Chrome on request
Material	Powder Coated Aluminium
IP Protection	IP20
Beam angle	15°/24°/38°
Lifetime (Ta 40°C)	L90/50,000h
Warranty	5 years

LED

CRI	>90
UGR	<19
SDCM	<3
CCT	3000K/4000K, 2700K on request
Lumen	1000lm/990lm/970lm
Efficacy	up to 75lm/W

ELECTRICAL

Voltage	220-240V
Power	13W
Driver(Build-in)	Triac / DALI dimming



(mm)



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

purati.com

Beam Recessed Suspension

Product Coded

B450R-13D
B600R-13D
B800R-13D

DESCRIPTION

Beam 450 / 600 / 800


Simple. Versatile. Efficient

The Beam Collection's classic tubular structure and contemporary design make it a versatile lighting fixture that can seamlessly integrate into any interior space.


Beam 450

Beam 600

Beam 800



QUICKINFO



GENERAL


Finish	White/Black, Gold/Chrome on request
Material	Powder Coated Aluminium
IP Protection	IP20
Beam angle	15°/24°/38°
Lifetime (Ta 40°C)	L90/50,000h
Warranty	5 years

LED


CRI	>90
UGR	<19
SDCM	<3
CCT	3000K/4000K, 2700K on request
Lumen	1000lm/990lm/970lm
Efficacy	up to 75lm/W

ELECTRICAL

Voltage	220-240V
Power	13W
Driver(Build-in)	Triac / DALI dimming
Cable Length	1500mm



Cable Length 1500mm



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

DESCRIPTION

Beam 450 / 600 / 800

Simple. Versatile. Efficient

The Beam Collection's classic tubular structure and contemporary design make it a versatile lighting fixture that can seamlessly integrate into any interior space.

Beam 450

Beam 600

Beam 800



QUICKINFO



GENERAL




Finish	White/Black, Gold/Chrome on request
Material	Powder Coated Aluminium
IP Protection	IP20
Beam angle	15°/24°/38°
Lifetime (Ta 40°C)	L90/50,000h
Warranty	5 years

LED

CRI	>90
UGR	<19
SDCM	<3
CCT	3000K/4000K, 2700K on request
Lumen	1000lm/990lm/970lm
Efficacy	up to 75lm/W

ELECTRICAL

Voltage	220-240V
Power	13W
Driver(Build-in)	Triac / DALI dimming
Cable Length	1500mm



Cable Length 1500mm



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com



Beam Track Mounted Suspension

Product Coded

B450T-13D
B600T-13D
B800T-13D

DESCRIPTION

Beam 450 / 600 / 800


Simple. Versatile. Efficient

The Beam Collection's classic tubular structure and contemporary design make it a versatile lighting fixture that can seamlessly integrate into any interior space.

Beam 450

Beam 600

Beam 800



QUICKINFO



GENERAL

Finish	White/Black, Gold/Chrome on request
Material	Powder Coated Aluminium
IP Protection	IP20
Beam angle	15°/24°/38°
Lifetime (Ta 40°C)	L90/50,000h
Warranty	5 years


LED

CRI	>90
UGR	<19
SDCM	<3
CCT	3000K/4000K, 2700K on request
Lumen	1000lm/990lm/970lm
Efficacy	up to 75lm/W

ELECTRICAL

Voltage	220-240V
Power	13W
Driver(Build-in)	Triac / DALI dimming
Cable Length	1500mm

3 Circuit 4 wire Track Head



Cable Length 1500mm



PURATI PTY LTD

Unit 10, 80 O'Riordan St, Alexandria NSW 2015
Tel: +61 2 8065 8181
sales@purati.com

purati.com