

The image features four cylindrical pendant lights against a dark, gradient background. On the left, a white cylindrical light hangs from a silver track fixture. In the center, a black cylindrical light hangs from a black circular ceiling mount. To its right, another black cylindrical light hangs from a black circular ceiling mount. On the far right, a white cylindrical light hangs from a black circular ceiling mount. The lights are arranged in a staggered, vertical line.

PURATI.

BEAM

Design

n p k | design

PURATI,

Production

Close collaboration between
Purati and npk design
the mission is to create the
great products & bring new
lighting solutions for architecture.





npk design b.v.

Our designs are made by npk design b.v. is an award-winning design agency which has developed a wide range of successfully products for us more than 10 years.

From Slice series to Fusi series, has been gaining prestigious international design awards such as IF Design Award, Red Dot Award, German Design Award.





Purati

Performance, Uniqueness, Responsibility, Aesthetics, Technology, Innovation (PURATI). Those are our core value and foundation.

Our lights save space, save resources, and offer greater quality.

We offer architectural lighting of premium quality and performance and with unique design.



PURATI

6

PURATI

PURATI



BEAM

Simple. Versatile. Efficient

The Beam Collection is classic tubular structure and contemporary design, making it a versatile lighting fixture that can seamlessly integrate into any interior space. Designed for visual comfort and lumen performance.





A wide range of accessories

4 Baffle finish
(white, silver, black, gold)

Explore the essence of Beam series

Quality Design

The simple cylindrical design with extremely precise beam angles, for both general and accent lighting
Luminaire housing and Baffle made of aluminium
Designed for easy mounting with no visible screws

Visual comfort

A deep-set light source and excellent optics offering maximum cut-off angles make it great comfort with UGR<19
High power LEDs for maximum efficiency
(up to 1000lm in $\text{Ø}45\text{mm}$ tube luminaire)





3 secondary
optics

Honeycomb Lens for reduced glare
Soften Lens for softening beam edges
Linear Lens for elliptical beams

Multiple mounting options


The Beam Collection comes with 5 mounting and various lengths 450mm, 600mm, 800mm to suit the specified lighting requirements.




Surface mounted /
Ceiling mounted suspension /
Recessed suspension /
Trimless recessed suspension /
Track mounted suspension



Areas of application

Office
Residential
Retail
Hospitality





Technical data

	Size	Power	Lumens	Beam Angle	Efficacy	Driver	
1	Beam 450	450mm	13W	1000/990/970lm	15°/24°/38°	75lm/W	Triac (Build-in),
2	Beam 600	600mm	13W	1000/990/970lm	15°/24°/38°	75lm/W	DALI (Build-in)
3	Beam 800	800mm	13W	1000/990/970lm	15°/24°/38°	75lm/W	

General

Finishes White
 Black

Baffle finish White
 Black
 Silver
 Gold

Material Powder Coated Aluminium

IP Rating IP20

Lifespan L90/50,000h

Warranty 5 Years

LED

CCT 3000K/4000K

CRI >90


SDCM <3

UGR <19


Electrical

Mounting Surface mounted
Ceiling mounted suspension
Recessed suspension
Trimless recessed suspension
Track mounted suspension





1



2



3



Head Office

Unit 10, 80 O'Riordan Street,
Alexandria NSW 2015

Phone

+61 2 8065 8181

Email

sales@purati.com



www.purati.com