

Design n p k | design

PURATI.

Production

Purati and npk design. Together, our mission is to create the great products & bring new lighting solutions for architecture.

The close collaboration between







npk design b.v.

Our designs are made by npk design b.v. is an award-winning design agency which has developed a wide range of successfully products for us more than 10 years.

From Slice series to Fusi series, has been gaining prestigious international design awards such as IF Design Award, Red Dot Award, German Design Award.





Purati


Performance, Uniqueness, Responsibility, Aesthetics, Technology, Innovation (PURATI). Those are our core value and foundation.


Our lights save space, save resources, and offer greater quality.

We offer architectural lighting of premium quality and performance and with unique design.










COMPO

Designed by npk design b.v.

Minimalist design with perfect light uniformity for an open feeling of space. This series is a very classic cylindrical design in various sizes and mounting options that integrates elegantly into any architecture.





The initial design



Direct/indirect light distribution, ambient light distribution. (Indirect light can be switched on/off button on the luminaire base)


Explore the essence of Compo series

Ambient light

Perfect light uniformity with zero dotting, high efficiency and perfect glare control thanks to prismatic diffuser.

European design

Slim Trim Design, impressed with simplicity and elegance.





Simply everywhere

A very classic cylindrical design in various sizes and mounting options that integrated elegantly into any architecture.

Tuneable white version

TW only for Compo 450 direct version, the CCT change between warm white and cool white light via DALI DT8.






Office


Education

Retail

Hospitality

Public space






Technical data

	Size	Power	Lumens (at 3000k)	Beam Angle	Efficacy	Driver
1 Compo 320	320mm	24/18/10W	2400/1800lm	120°	100lm/W	Non-DIM (Build-in),
2 Compo 450	450mm	30/22W	3100/2300lm	120°	100lm/W	Phase cut (Build-in),
3 Compo 600	600mm	55/38W	5500/4000lm	120°	100lm/W	DALI (Build-in),
4 Compo 900	900mm	90/70/55W	9000/7000/5500lm	120°	100lm/W	Bluetooth (Remote)

General	
Finishes	White Black Brushed Silver Brushed Brass Brushed Gold
Material	Aluminium
IP Rating	IP20
IK Rating	IK08
Lifespan	L80/50,000h
Warranty	5 Years

LED			
ССТ	3000K/4000K Switch		
CRI	>90		
SDCM	<3		
UGR	<19 or <23 (X=4H, Y=8H)		

Opal Micro-prismatic optional		
Direct only Direct and indirect lighting optional		
Surface mounted Rod Suspension (1m) Wire Suspension (2m) Wall mounted		
PIR sensor Emergency (2W 90mins/180mins Lithium cell) Sensor + Emergency		



Head Office

Unit 10, 80 O'Riordan Street, Alexandria NSW 2015

Phone

+61 2 8065 8181

Email

sales@purati.com









