

PURATI.



FLOAT

PURATI

Design

n p k | design

PURATI.

Production

The close collaboration between
Purati and npk design. Together,
our mission is to create the
great products & bring new
lighting solutions for architecture.





n Timer design b.v.

Our designs are made by npk design b.v. is an award-winning design agency which has developed a wide range of successfully products for us more than 10 years.

From Slice series to Fusi series, has been gaining prestigious international design awards such as IF Design Award, Red Dot Award, German Design Award.





Purati

Performance, Uniqueness, Responsibility,
Aesthetics, Technology, Innovation (PURATI).
Those are our core value and foundation.

Our lights save space, save resources, and
offer greater quality.

We offer architectural lighting of premium
quality and performance and with unique
design.





npk design
Leiden,
The Netherlands



PURATI

Purati
Manufacturing Plant
Ningbo, China

PURATI

Purati HQ
Sydney, Australia



FLOAT

An integrated interior luminaire offering floating, timeless elegance and 360° perfect illumination.

With a minimalist design and versatile application such as ceiling and wall mounting as well as perfectly suspended with a wire or rod, combine with the handmade frosted acrylic diffuser with high quality Seoul LEDS (up to 135lm/W) and multiple functions, making it ideal for office, education, retail, hospitality and public spaces.





Material and workmanship

Used in the handmade
frosted acrylic diffuser
to create outstanding
efficient light (135lm/W)

Explore the essence of Float series

Quality is all around

Offering floating elegance, the 360° wide-angle luminaire body design makes extremely homogenous omnidirectional illumination

Ease of installation

Swivel-locking makes it easy installation









Simply
everywhere




A very classic cylindrical design in various sizes and mounting options that integrated elegantly into any architecture.



Areas of application

Office
Education
Residential
Hospitality





Technical data

	Size	Power	Lumens	Beam Angle	Efficacy	Driver
① Float 300	300mm	24/18/10W switch	3168/2376/1320lm	120°	132lm/W	Phase cut (Build-in), DALI (Build-in)
② Float 400	400mm	30/22/17W switch	4038/3025/2244lm	120°	132lm/W	
③ Float 600	600mm	55/38W switch	7260/5016lm	120°	132lm/W	

General	
Finishes	<input type="checkbox"/> White <input checked="" type="checkbox"/> Black
Material	Metal + Acrylic
IP Rating	IP20
IK Rating	IK07
Lifespan	L80/50,000h
Warranty	5 Years

LED	
CCT	3000K/4000K Switch
CRI	>90
SDCM	<3
UGR	<23

Electrical	
Mounting	Surface mounted
	Rod suspension (1m)
	Wire suspension (2m)
	Wall mounted
Function	Motion sensor

1





Ø 300

2




Ø 400


3




Ø 600



Rod suspension



Wire suspension
300/400



Wire suspension
600

Head Office

Unit 10, 80 O'Riordan Street,
Alexandria NSW 2015

Phone

+61 2 8065 8181

Email

sales@purati.com



www.purati.com