

PURATI.



RING PRO

PURATI

Design

n p k | design

PURATI.

Production

The close collaboration between
Purati and npk design. Together,
our mission is to create the
great products & bring new
lighting solutions for architecture.





npk design b.v.

Our designs are made by npk design b.v. is an award-winning design agency which has developed a wide range of successfully products for us more than 10 years.

From Slice series to Fusi series, has been gaining prestigious international design awards such as IF Design Award, Red Dot Award, German Design Award.





Purati

Performance, Uniqueness, Responsibility,
Aesthetics, Technology, Innovation (PURATI).
Those are our core value and foundation.

Our lights save space, save resources, and
offer greater quality.

We offer architectural lighting of premium
quality and performance and with unique
design.





npk design
Leiden,
The Netherlands



PURATI

Purati
Manufacturing Plant
Ningbo, China

PURATI

Purati HQ
Sydney, Australia




Explore the essence of Ring Pro series


European design

Elegant, innovative, brilliant comfort.

Light quality and finishes

Illuminating the space uniformly and ensuring optimal visual comfort to meet any project requirement, expertly finish surface for lasting durability and refined style.






Unique design,
flexible mounting options

Available in wall/ceiling mounted and suspension
with indirect light

Match your
interior




Custom colours are
available on request.





Areas of application

Office
Education
Retail
Hospitality
Public space



Technical data



		Size	Power	Lumens	Beam Angle	Driver
1	Ring Pro 600	600mm	50/40/30W	16000/4800/3600lm	120°down/120°up for Opal diffuser,	Non-DIM (Build-in),
2	Ring Pro 900	900mm	90/75/55W	10800/9000/6600lm	90°down/120° up for Prism diffuser	DALI (Build-in)
3	Ring Pro 1200	1200mm	120/100/75W	14400/12000/9000lm		

General	
Finishes	☐ White ☒ Black
Material	Aluminium
IP Rating	IP20
IK Rating	IK06
Lifespan	L80/50,000h
Warranty	5 Years

LED	
CCT	3000K/4000K
CRI	>90
SDCM	<3


Electrical	
Diffuser	Opal Micro-prismatic optional
Light distribution	Direct only Direct and indirect lighting optional
Mounting	Surface mounted Wire Suspension (2m) Wall mounted

1




Ø 600

2




Ø 900

3



Ø 1200



max 2000

Wire suspension

Head Office

Unit 10, 80 O'Riordan Street,
Alexandria NSW 2015

Phone

+61 2 8065 8181

Email

sales@purati.com



www.purati.com